Journal of Immunological Methods, 166 (1993) 303–304
Elsevier Science Publishers B.V.

Contents to volume 166 (1993)

Number 1 – 5 November 1993

Research reports

Detection and quantification of secreted soluble FcγRIIA in human sera by an enzyme-linked immunosorbent assay
A. Astier, H. De la Salle, J. Moncuit, M. Freund, J.-P. Cazenave, W.-H. Fridman, D. Hanau and J.-L. Teillaud (France) 1

Analysis of lymphocyte aggregation using digital image analysis
L.L. Munn, M.W. Glacken, B.W. McIntyre and K. Zygourakis (USA) 11

Human IgG preparations isolated by ion-exchange or protein G affinity chromatography differ in their glycosylation profiles
A. Bond, M.G. Jones and F.C. Hay (UK) 27

Rapid quantification of C3a and C5a using a combination of chromatographic and immunoassay procedures
H. Hartmann, B. Lübbers, M. Casaretto, W. Bautsch, A. Klos and J. Köhl (Germany) 35

Rapid flow cytometric assay for the assessment of natural killer cell activity
L. Chang, G.A. Gusewitch, D.B.W. Chritton, J.C. Folz, L.K. Lebeck and S.L. Nehlsen-Cannarella (USA) 45

Covalent coupling of a steroid to microwell plates for use in a competitive enzyme-linked immunosorbent assay
S. Yonezawa, A. Kambegawa and S. Tokudome (Japan) 55

Immortalization of mouse intestinal epithelial cells by the SV40-large T gene. Phenotypic and immune characterization of the MODE-K cell line
K. Vidal, I. Grosjean, J.-P. Revillard, C. Gespach and D. Kaiserlian (France) 63

Analysis of active antibody concentration. Separation of affinity and concentration parameters.
R. Karlsson, L. Fägerstam, H. Nilshans and B. Persson (Sweden) 75

The concentrations of glutamine and ammonia in commercially available cell culture media
S. Heeneman, N.E.P. Deutz and W.A. Buurman (Netherlands) 85

A sensitive colorimetric assay for the release of tryptase from human lung mast cells in vitro
S.E. Lavens, D. Proud and J.A. Warner (UK, USA) 93

A capillary electrophoresis-based assay for the binding of Ca^{2+} and phosphorylcholine to human C-reactive protein
N.H.H. Heegaard and F.A. Robey (USA) 103

Carrier determination for X-linked agammaglobulinemia using X inactivation analysis of purified B cells
L.A. Alterman, M. De Alwis, S. Genet, R. Lovering, H. Middleton-Price, G. Morgan, A. Jones, S. Malcolm, R.J. Levinsky and C. Kinnon (UK) 111

Purification and properties of immunotoxins containing one vs. two deglycosylated ricin A chains
V. Ghetie, E. Swindell, J.W. Uhr and E.S. Vitetta (USA) 117

Rapid immunofiltration assay of Newcastle disease virus using a silicon sensor
W.E. Lee, H.G. Thompson, J.G. Hall, R.E. Fulton and J.P. Wong (Canada) 123

Measurement of kinetic binding constants of viral antibodies using a new biosensor technology
J.L. Pellequer and M.H.V. Van Regenmortel (France) 133

Ca^{2+} response in single human T cells induced by stimulation of CD4 or CD8 and interference with CD3 stimulation
Y. Katayama, S. Miyazaki, Y. Oshimi and K. Oshimi (Japan) 145

Notes to authors 155

Number 2 – 3 December 1993

Research reports

Rapid in vitro micro-cytotoxicity tests for the detection and quantitation of neutralizing antibodies to both viruses and toxins
C. Van de Water, E.A. Van Dura, J.G.M.M. Van der Stap, R. Brands and W.J.A. Boersma (Netherlands) 157

In vitro immunization of mouse spleen cells for the production of monoclonal IgG1 antibodies using an antigen-specific T helper cell clone (D.10.G4.1)
S. Uthoff and T. Böldicke (Germany) 165

A simple method for the evaluation of receptor binding capacity of modified cytokines
M. Chianelli, A. Signore, R. Hicks, R. Testi, M. Negri and P.C.L. Beverley (Italy, UK) 177

Measurement of eosinophil cationic protein (ECP) and eosinophil protein X/eosinophil derived neurotoxin (EPX/EDN). Time and temperature dependent spontaneous release in vitro demands standardized sample processing
C.M. Reimert, L.K. Poulsen, C. Bindslev-Jensen, A. Kharazmi and K. Bendtzen (Denmark) 183
The assessment of different methods of data reduction for qualitative assays
J. Bishop, F.D.J. Dunstan, B.J. Nix and A. Swift (UK) 191
Similar frequencies and kinetics of cytokine producing cells in murine peripheral blood and spleen. Cytokine detection by immunoassay and intracellular immunostaining
B. Sander, I. Höidén, U. Andersson, E. Möller and J.S. Abrams (Sweden, USA) 201
Measurement of membrane bound IgD and IgM on B lymphocytes
M. Zhang, T. Brunnée, J. Kleine-Tebbe, K. Graf, A. O'Connor and G. Kunkel (Germany) 215
An improved model for the examination of biological effects of locally administered cytokines
F.M. Rollwagen, N.D. Pacheco and S. Baqar (USA) 223
Evidence of surface antigen detachment during incubation of cells with immunomagnetic beads
C.P. Rubbi, D. Patel and D. Rickwood (UK) 233
A fluorescence-based quantitative adhesion assay to study interactions between *Entamoeba histolytica* and human enterocytes. Effect of proinflammatory cytokines
L. Flores-Romo, K.B. Bacon, T. Estrada-Garcia, M. Shibayama, V. Tsutsumi and A. Martinez-Palomo (Switzerland, Mexico) 243
Quantitative analysis of platelet-activating factor in human plasma. Application to patients with liver cirrhosis and disseminated intravascular coagulation
J. Sugatani, M. Miwa, Y. Komiyama and T. Murakami (Japan) 251
New procedure for the detection of complement deficiency by ELISA. Analysis of activation pathways and circumvention of rheumatoid factor influence
G.N. Fredrikson, L. Truedsson and A.G. Sjöholm (Sweden) 263
Liposomes as vaccine carriers. Incorporation of soluble and particulate antigens in giant vesicles
S.G. Antimisiaris, P. Jayasekera and G. Gregoriadis (UK) 271

Short communications
The role of pH in modified ELISA procedures used for the estimation of functional antibody affinity
D. Goldblatt, L. Van Etten, F.J. Van Milligen, R.C. Aalberse and M.W. Turner (UK, Netherlands) 281
A vector driving the expression of foreign cDNAs in the MHC class II-positive cells of transgenic mice
V. Kouskoff, H.-J. Fehling, M. Lemeur, C. Benoist and D. Mathis (France) 287

Letter to the editors
Selective destruction of contaminating cells in monolayer cultures
E.W. Johnstone and K.A. Williams (Australia) 293

Software notices
TITRECAL: an MS-DOS program for automated calculation of antibody titres from ELISA data
S.A. Tremain (Australia) 295
ELEASY: a program for processing experimental enzymoimmunoassay data
A. Herráez (Spain) 297
Software archive. Current contents (August 25, 1993)
S.J. Merrill (USA) 299

Corrigendum
Technical influences on immunophenotyping by flow cytometry. The effect of time and temperature of storage on the viability of lymphocyte subsets. (J. Immunol. Methods 164 (1993) 263)
T. Ekong, E. Kupek, A. Hill, C. Clark, A. Davies and A. Pinching (UK) 301

Contents to volume 166 (1993) 303

Notes to authors 305